Open Access
IHTIMAM: Jurnal Pendidikan Bahasa Arab
Vol. 9, No. 01, June 2026
https://journal.staimsyk.ac.id/index.php/Ihtimam/index

Cognitive Mechanisms in Arabic Derivative Processing: A Psycholinguistic Perspective

Rahma Arifah[1], **Ilham Tumanggor**[2]
[1]*STAI As-Sunnah Deli Serdang, Medan, Indonesia*
[2]*STAI As-Sunnah Deli Serdang, Medan, Indonesia*

Email : arifahrahma04@gmail.com

ARTICLE INFO
Article history:
Received
May 12, 2026
Revised
May 21, 2026
Accepted
June 06, 2026

Abstract

The Arabic derivational system is a morphological characteristic closely related to cognitive processes in language processing. The complexity of the relationship between root words and morphological patterns indicates that Arabic language comprehension occurs not only structurally but also involves the speaker's mental activity. This study aims to analyze the cognitive mechanisms in Arabic derivational processing through a psycholinguistic perspective. The study used a qualitative approach with library research. Data were obtained from scientific articles, academic books, and various literature relevant to psycholinguistics and Arabic morphology through documentation study techniques. Data analysis was conducted using content analysis methods with the stages of data reduction, classification, interpretation, and synthesis. The results show that Arabic derivational processing involves mental representation of root words, recognition of morphological patterns (wazan), semantic activation, and integration of meaning in the mental lexicon. The Arabic derivational system also demonstrates cognitive efficiency because the relationship between root words and derivational patterns helps accelerate meaning access and language production. This study concludes that Arabic derivational functions not only as a word formation system but also represents a mental mechanism in language processing. Further research is recommended to develop empirical studies based on neurolinguistics or experimental approaches to gain a deeper understanding of the relationship between Arabic morphology and human cognitive processes..

Keywords: Arabic Derivation, Cognitive Mechanisms, Arabic Morphology, Psycholinguistics, Language Processing

Published by STAI Masjid Syuhada Yogyakarta
Website https://journal.staimsyk.ac.id/index.php/Ihtimam/index
ISSN 2774-4302
Copyright This is an open access article under the CC BY SA license
https://journal.staimsyk.ac.id/index.php/Ihtimam/index
@ 2026 by the author (s)

INTRODUCTION

Language is a key instrument in human cognitive activity because it functions not only as a medium of communication but also as a means of mental representation in understanding, storing, and producing meaning. In modern linguistic studies, the relationship between language and mental processes is a primary focus of psycholinguistics, particularly in understanding how humans cognitively process language structures. One linguistic phenomenon that demonstrates the complexity of this relationship is the Arabic derivational system. The Arabic derivational system is constructed through specific root word patterns and morphological forms, allowing for the formation of various lexical variations with systematic semantic relationships (Juwanda & Hasanudin, 2025). This complexity makes Arabic derivation interesting to study from a psycholinguistic perspective because it involves the simultaneous processes of pattern

recognition, memory activation, and interpretation of meaning (V. H. Huda & Ghufron, 2025).

The problem of this research arises from the limited number of studies linking the Arabic derivational system with cognitive mechanisms in language processing. Most previous research has focused on structural morphology, traditional grammar, and syntactic analysis, while discussion of how derivational forms are processed in the speaker's mental system remains relatively limited (Liyana et al., 2025). However, derivational processing is not solely concerned with word form changes but also reflects mental activity involving lexical memory, morphological pattern recognition, and semantic relationships between words (Sapiah et al., 2025). These limitations have prevented an understanding of the relationship between Arabic derivational structures and cognitive mechanisms from being optimally developed in contemporary psycholinguistic studies.

Based on these challenges, this study seeks to provide new insights into the processing mechanisms of Arabic derivational forms through a psycholinguistic approach. This research positions Arabic derivations as part of the mental representational system processed through the speaker's cognitive activity. From this perspective, word roots are understood as the center of semantic representation, while morphological patterns function as mechanisms for forming meaning variations and lexical categories (Hafizah et al., 2025). Thus, this research not only discusses the structural aspects of language, but also analyzes the relationship between the Arabic morphological system and human mental processes in understanding and producing language.

Previous research has shown that the Arabic morphological system has unique characteristics compared to other languages because it is based on semantically interconnected root and wazan patterns. Some studies explain that Arabic morphological processing involves the activation of root words in mental memory, making it easier for speakers to recognize relationships between words with similar roots (Widiyarto, 2025). Other research emphasizes that Arabic derivational patterns influence the speed of word recognition and access to meaning in language processing (Martiana & Siregar, 2025). Furthermore, psycholinguistic studies also indicate that a root-based morphological system can increase the efficiency of lexical storage in language memory because various word forms can be connected through shared semantic representations (Kalsum et al., 2023). However, research specifically addressing the cognitive mechanisms of Arabic derivation from a psycholinguistic perspective is still scarce, especially those that comprehensively integrate aspects of morphology, mental representation, and language processing.

Theoretically, this research is based on the psycholinguistic concept that views language as part of human mental activity. In psycholinguistic studies, language processing involves several cognitive mechanisms such as working memory, semantic activation, pattern recognition, and lexical storage in the mental lexicon (Maulani, 2025). Meanwhile, in Arabic linguistics, derivation, or isytiqāq, is understood as the process of word formation through the relationship between root words and specific morphological patterns (Luthfan & Hadi, 2019). Studies of Arabic morphology indicate that the Arabic word formation system is incorporative, where root words consisting of basic consonants are combined with specific patterns (wazan) to produce a variety of semantically interrelated lexical variations (Jamilah, 2020). The relationship between these two concepts indicates that Arabic derivation processing occurs not only at the structural level but also involves complex mental processes in understanding word meaning and function.

The novelty of this research lies in the effort to integrate the study of Arabic derivation with a cognitive psycholinguistic approach in greater depth. Previous research has tended to discuss derivation from the perspective of structural linguistics or traditional grammar, while this study positions derivation as part of the mental processing mechanisms of Arabic speakers. Furthermore, this study emphasizes the relationship

between the root word system, lexical representation, and semantic activation in the process of Arabic language comprehension. This approach is expected to provide new contributions to the development of Arabic psycholinguistic studies, particularly those related to the relationship between morphology and cognition.

Based on this description, the purpose of this study is to analyze the cognitive mechanisms in Arabic derivation processing from a psycholinguistic perspective. This study also aims to explain the relationship between the Arabic derivation system and mental representation, semantic activation, and language processing processes in the human cognitive system.

METHOD

This study employed a qualitative approach with library research focusing on a conceptual analysis of the cognitive mechanisms involved in processing Arabic derivations from a psycholinguistic perspective. This qualitative approach was chosen because the study aimed to gain a deeper understanding of linguistic phenomena through theoretical interpretation of various relevant scientific sources. The research was not directed at measuring statistical relationships, but rather at uncovering the relationship between Arabic derivation systems and cognitive processes in language processing.

The research design was descriptive-analytical, with psycholinguistic theory and Arabic morphology as the primary foundation for data interpretation. This study examined various concepts regarding root word systems, derivational patterns (wazan), mental representation, semantic activation, and lexical processing in Arabic. The analysis was conducted systematically through the identification, classification, interpretation, and synthesis of data obtained from various academic sources, resulting in a comprehensive understanding of the cognitive mechanisms involved in Arabic derivations.

The research targets included various scientific literature relevant to the research theme. The data sources consisted of international journal articles, Arabic linguistics books, psycholinguistic studies, scientific proceedings, and other academic documents discussing Arabic morphology and cognitive language processing. The literature used was selected based on several criteria, namely topic relevance, source credibility, publication recency, and relevance to the research focus. Thus, the analyzed data sources fully support the discussion of the relationship between Arabic derivation and mental mechanisms in language processing.

Data collection techniques were conducted through documentation studies by searching various scientific references from academic databases such as Scopus, Google Scholar, and ScienceDirect. The data collection process involved several stages: source identification, literature selection, recording important data, and grouping information according to the research focus. Keywords used in the data search included "Arabic derivational morphology," "psycholinguistics of Arabic," "mental lexicon," "Arabic cognitive processing," and "Arabic morphological processing." All data obtained was then selected to ensure its alignment with the research theme and analysis objectives.

The research instrument was developed in the form of data analysis guidelines, compiled based on the research focus and theoretical framework used. The research instrument serves as a tool for identifying key concepts related to cognitive mechanisms, Arabic derivational systems, mental representation, semantic activation, and lexical processing. The instrument was developed through a thematic categorization process, making it easier for researchers to organize data, interpret information, and establish conceptual relationships between the analyzed data.

The data analysis technique used content analysis with an interpretive approach. The analysis was conducted through several stages: data reduction, data classification, concept interpretation, and conclusion drawing. In the data reduction stage, researchers selected information relevant to the research focus. Next, the data were classified based on

key themes such as root word systems, derivational patterns, semantic processing, and language memory mechanisms. The interpretation stage was carried out by connecting literature findings with psycholinguistic theory to gain an understanding of the cognitive processes in Arabic derivation. The final stage involved a comprehensive data synthesis, resulting in conclusions aligned with the research objectives.

Through this method, this research is expected to provide an in-depth explanation of the relationship between Arabic derivational structures and cognitive mechanisms in language processing, while also strengthening the development of Arabic psycholinguistic studies from a modern linguistic perspective.

RESULT AND DISCUSSION

Mental Representation of Word Roots in Arabic Derivational Processing

The analysis shows that the Arabic derivational system is strongly linked to the mental representation mechanism in language processing. The root-based derivational structure allows speakers to connect various lexical forms through a common semantic core. From a psycholinguistic perspective, root words function as the central repository of meaning in the mental lexicon, while morphological patterns (wazan) regulate grammatical categories and meaning variation (Mahazi & Zainal, 2018; Zena, 2023a).

Analysis of various literature shows that the process of word identification in Arabic does not occur linearly, but rather through the simultaneous activation of root words and morphological patterns. When a speaker encounters a particular derived word, the cognitive system automatically accesses the root word stored in semantic memory to aid in the interpretation of its meaning. This mechanism demonstrates that Arabic derivational processing involves the simultaneous interaction of language memory, pattern recognition, and semantic activation (Hanifansyah, 2025; Mufid & Diantika, 2024).

Table 1. Mental Representation in the Arabic Derivational System

Linguistic Component	Cognitive Function	Processing Form
Root word	Storage of core meaning	Semantic activation
Pattern (*wazan*)	Determination of lexical pattern	Morphological recognition
Derived word	Variation in meaning and function	Lexical integration
Inter-word relations	Reinforcement of meaning associations	Memory activation

The table shows the relationship between Arabic derivational components and cognitive functions in language processing. Word roots serve as the central representation of meaning, while morphological patterns aid in the identification of word form and function within the speaker's mental system.

The results of this study align with a study by (H. Huda & Jannah, 2025), which explains that the root-based Arabic morphological system is closely related to lexical organization in mental memory. This study confirms that root words act as semantic connectors, facilitating access to meaning when speakers process derived forms. However, this study places greater emphasis on the relationship between semantic activation and mental representation within the context of cognitive psycholinguistics, demonstrating that Arabic derivation is not merely structural but also represents a complex mental process.

Cognitive Mechanisms in Morphological Pattern Identification

The following analysis shows that identifying morphological patterns in Arabic involves the cognitive ability to recognize regularities in word forms. The Arabic

derivational system enables speakers to understand the meaning of new words through morphological patterns already stored in the language's memory. This process demonstrates cognitive efficiency because speakers do not have to memorize entire word forms separately but simply understand the relationship between root words and derivational patterns (Mustadi et al., 2021).

In language processing, morphological pattern recognition occurs through an automatic activation mechanism for word structures that share similar forms. This activation helps speakers accelerate the identification of word categories, syntactic functions, and possible meanings contained in a derived form. Thus, the Arabic derivational system demonstrates a strong connection between morphological structure and mental processing mechanisms (Zainurrakhmah, 2024).



Figure 1. Cognitive Mechanism of Arabic Derivative Processing

The figure illustrates the stages of Arabic derivational processing from a cognitive perspective. Processing begins with root recognition, followed by activation of language memory, identification of morphological patterns, interpretation of meaning, and finally, language production.

These findings support research (Amalia & Rojabi, 2026) which states that languages with root-based morphological systems exhibit different processing patterns than linear languages. While previous research focused primarily on experimental aspects of word recognition, this study adds an analysis of the relationship between memory efficiency and pattern recognition in Arabic derivational systems. Thus, this research provides a new perspective on how Arabic morphological structure more systematically influences speakers' cognitive activity.

Semantic Activation and Meaning Processing in Arabic Derivatives

Research results indicate that semantic activation is a key mechanism in processing Arabic derivations. The relationship between words derived from the same root allows speakers to build meaningful associations more quickly and in an organized manner. When a word is processed, the mental system automatically connects it to other semantically related derivative forms (Saifullah, 2021).

This semantic activation process contributes to language comprehension efficiency because speakers can predict a word's meaning based on recognized derivational patterns. In addition to aiding comprehension, semantic activation also impacts language production, as speakers more easily select word forms appropriate to the communication context. This suggests that the Arabic derivational system is closely linked to conceptual organization in language memory (Munir et al., 2026; Taufiqurrochman, 2015).

Table 2. Relationship between Semantic Activation and Language Processing

Cognitive Aspect	Impact on Language Processing
Root activation	Accelerates access to meaning
Semantic relations	Facilitates interpretation
Pattern recognition	Assists word identification
Lexical integration	Supports language production

The table shows that semantic activation plays a crucial role in accelerating language comprehension and production through the relationships between words derived from the same root.

These results are similar to research by Ismaya, 2026; Machmud Yunus, 2025, which explains that the morphological structure of Arabic supports efficient semantic processing in speakers' mental systems. However, this study broadens the discussion by positioning semantic activation as an integral part of the cognitive mechanisms involved in processing Arabic derivations, rather than merely a linguistic phenomenon.

This research provides theoretical and practical implications for the development of Arabic psycholinguistic studies. Theoretically, this study reinforces the view that the Arabic derivation system is closely related to cognitive mechanisms in language processing. The findings indicate that the relationship between root words, morphological patterns, and semantic activation forms an efficient language processing system in speakers' mental representations (Lontoh, 2026).

Practically, the results of this study can serve as a basis for developing more cognitive-based Arabic language learning methods, particularly in teaching morphology and vocabulary comprehension. Psycholinguistic studies show that Arabic language learning that pays attention to the mental processes of language acquisition, reception, and production is more effective because it aligns with the speaker's natural cognitive mechanisms (Zulfa, 2023). Learning approaches that emphasize the relationship between root words and derivational patterns have the potential to help learners understand Arabic language structure more systematically and effectively.

Future research is recommended to develop empirical studies of Arabic derivational processing through experimental or neurolinguistic approaches so that the cognitive mechanisms involved can be observed more objectively. Furthermore, future research could compare the Arabic derivational system with other languages with different morphological characteristics to gain a broader understanding of the relationship between language structure and human cognitive processes.

The findings demonstrate that the Arabic derivational system is closely connected to cognitive mechanisms involved in language processing. The root (*jidzr*) functions as the core semantic unit in the mental lexicon, while morphological patterns (*wazan*) provide structural information that guides the interpretation of meaning. This finding supports the theory of the mental lexicon, which views lexical knowledge as an interconnected network rather than a collection of isolated words. When speakers encounter a derived form, they appear to access both the root and the morphological pattern simultaneously, enabling efficient retrieval of meaning and grammatical information.

From a psycholinguistic perspective, the results indicate that Arabic derivation facilitates cognitive economy. Rather than storing each lexical item independently, speakers can process numerous words through a limited set of roots and patterns. This finding is consistent with Rosch's concept of cognitive economy, which suggests that human cognition tends to organize information in the most efficient way possible. Consequently, the Arabic root-and-pattern system reduces memory load while supporting extensive lexical productivity. The study also highlights the importance of morphological

pattern recognition in language processing. Speakers use previously acquired knowledge of derivational patterns to identify unfamiliar words and infer their meanings. This process aligns with schema theory and Anderson's ACT-R framework, which explain how repeated exposure to linguistic structures leads to automatic and efficient processing. As a result, Arabic speakers can rapidly recognize lexical categories and semantic relationships without relying solely on memorization.

Another important finding is the role of semantic activation in connecting derivationally related words. The results support the Spreading Activation Theory of Collins and Loftus, which argues that concepts in memory are linked through associative networks. In Arabic, activation of a root can facilitate access to other semantically related derivatives, accelerating both language comprehension and production. This interconnected structure explains why Arabic derivation contributes to efficient lexical retrieval and meaning construction. These findings are consistent with previous studies that emphasize the role of roots and morphology in Arabic language processing. However, the present study extends earlier research by demonstrating that derivation functions not only as a linguistic mechanism but also as a cognitive system that integrates memory, pattern recognition, and semantic processing. This perspective strengthens the argument that the effectiveness of Arabic morphology lies in its ability to organize lexical knowledge in ways that correspond to natural cognitive processes.

CONCLUSION

This research demonstrates that the Arabic derivational system is closely related to cognitive mechanisms in language processing. Based on the analysis, the derivational process not only functions as the morphological formation of word structures but also represents a mental activity involving root recognition, morphological pattern identification (wazan), semantic activation, and the integration of meaning within the mental lexicon. Arabic derivational processing occurs through a simultaneous relationship between linguistic structures and the speaker's cognitive system, enabling more organized and efficient language comprehension.

The research also shows that root words serve as centers of semantic representation, helping speakers connect various lexical forms that have related meanings. Meanwhile, derivational patterns function as mechanisms regulating variations in meaning and grammatical categories in language processing. The connection between root words and morphological patterns indicates that the Arabic derivational system supports efficient storage and access of information in language memory. Thus, understanding derivation is not only related to linguistic aspects but also reflects how the human mental system works in understanding and producing language.

This research confirms that a psycholinguistic approach provides a broader perspective in understanding Arabic derivation than a purely structural approach. This study demonstrates that the Arabic morphological system possesses cognitive characteristics capable of shaping language processing regularities through the relationship between memory, linguistic patterns, and meaning activation. These findings constitute an important contribution to the development of Arabic psycholinguistic studies, particularly in understanding the relationship between morphological structure and mental representation in the process of language communication.

Based on the research findings, the main idea can be developed that the Arabic derivation system is essentially a form of linguistic organization that aligns with human cognitive mechanisms. The root structure and derivational patterns function not only as a grammatical system but also as a mental processing model that supports efficient language comprehension and production. Therefore, Arabic derivation can be understood as a linguistic system with a strong cognitive dimension in establishing connections between language form, meaning, and the speaker's mental activity.

REFERENCES

Amalia, A., & Rojabi, M. A. (2026). *Fundamental Natural Language Processing*. Afdan Rojabi Publisher.

Fahmi Husein, Moh Solikul Hadi, Edi Kurniawan. "Strategi Digital Detox untuk Siswa : Efektivitas Pendidikan Islam melalui Program Bimbingan Konseling pada Anak SMA / SMK di Yogyakarta Penerbangan AAG Adisutjipto , penerapan strategi Digital Detox melalui program" 13 (2024): 358–69.

Hafizah, A., Rahmadini, D., Gusnida, V., & Noviyanti, S. (2025). Analisis Struktur Linguistik Bahasa: Fonologi, Morfologi, Sintaksis, dan Semantik. *Pendas: Jurnal Ilmiah Pendidikan Dasar*, *10*(4), 968–984.

Hanifansyah, N. (2025). Mnemonic dan Muscle Memory dalam Inovasi Pembelajaran Marfologi Bahasa Arab (Sharaf) sebagai INSTING. *TADRIS AL-ARABIYAT: Jurnal Kajian Ilmu Pendidikan Bahasa Arab*, *5*(1), 105–126.

Huda, H., & Jannah, I. M. (2025). *Pembelajaran Bahasa Arab: Pendekatan Teoritis dan Aplikatif*.

Huda, V. H., & Ghufron, Z. (2025). Psikolinguistik dalam Pembelajaran Bahasa Arab: Analisis Kognitif dan Pengaruh Sosial-Budaya. *Uktub: Journal of Arabic Studies*, *5*(1), 89–101.

Ismaya, S. D. (2026). Sistem Makna dan Konteks Peran Sintaksis dan Pragmatik dalam Pembentukan Pikiran. *Jurnal Ilmiah Nusantara*, *3*(1), 183–202.

Jamilah, M. (2020). Analisis Kontrastif Morfologi Infleksi Dalam Bahasa Arab Dengan Bahasa Indonesia. *Ihtimam: Jurnal Pendidikan Bahasa Arab*, *3*(2), 85–106.

Juwanda, J., & Hasanudin, C. (2025). *Ketika Kata-kata Berevolusi: Studi Morfologis pada Media dan Percakapan Sehari-hari*. Seval Literindo Kreasi.

Kalsum, U., Sukri, M., & Sudika, I. N. (2023). Leksikon Mental Dalam Bahasa Bima: Kajian Morfologi Generatif. *Jurnal Bastrindo: Kajian Bahasa Dan Sastra Indonesia*, *12*.

Liyana, C. I., Judijanto, L., Hardiany, D. R., Merrita, D., Suhendar, K., & Purnamasari, R. (2025). *Linguistik: Pengantar Studi Bahasa*. PT. Green Pustaka Indonesia.

Lontoh, I. M. (2026). *Pengantar Ilmu Semantik*. PT Bukuloka Literasi Bangsa.

Luthfan, M. A., & Hadi, S. (2019). Morfologi Bahasa Arab: Reformulasi Sistem Derivasi dan Infleksi. *Alsina: Journal of Arabic Studies*, *1*(1), 1–22.

Machmud Yunus, S. (2025). *Kosakata (Mufradat) BT - Bahasa Arab: Teori, Praktik, dan Konteks Pembelajaran Modern* (p. 63).

Mahazi, M. A., & Zainal, H. (2018). Asas Pembentukan Kata Dalam Morfologi Arab: The Foundation on Word Formation In Arabic Morphology. *Ulum Islamiyyah*, *25*, 55–63.

Martiana, W., & Siregar, H. H. (2025). Evolusi Leksikografi Arab: Analisis Model Penyusunan Kamus dari Tradisi Klasik hingga Korpus Digital. *INCARE, International Journal of Educational Resources*, *6*(3), 288–302.

Maulani, M. A. (2025). Pemaknaan Lirik Lagu "Dan" Karya Sheila On 7: Suatu Analisis Psikolinguistik Terhadap Pemrosesan Bahasa Dan Representasi Mental. *Jurnal Cahaya Edukasi*, *2*(4), 322–325.

Mufid, M., & Diantika, D. E. (2024). *Pengantar Semantik Bahasa Arab Teori Dan Praktik*.

Munir, M. M., Mustofa, A., Holimi, M., Erawanto, V., Asrofik, A., & Charis, M. A. (2026). *Wacana dalam Bahasa Arab: Perspektif Linguistik dan Penerjemahan*. CV. Gita Lentera.

Mustadi, A., Habibi, M., & Iskandar, P. A. (2021). *Filosofi, Teori, dan Konsep Bahasa dan Sastra Indonesia Sekolah Dasar*. UNY Press.

Saifullah, A. R. (2021). *Semantik dan Dinamika Pergulatan Makna*. Bumi Aksara.

Sapiah, S., Judijanto, L., Bunga, J., Sholihah, R. A., Krisifu, A., & Kocu, S. (2025). *Pengantar Linguistik*. PT. Green Pustaka Indonesia.

Sibawaihi, Mohd. Arifullah, Moh. Solikul Hadi. "Implementing Multicultural Education in

Indonesian State Islamic Universities : Case Studies of UIN Sunan Kalijaga and UIN Sulthan Thaha Saifuddin" 14, no. 1 (2025): 1–14. https://doi.org/10.14421/jpi.2025.141.1-14

Taufiqurrochman, R. (2015). *Leksikologi Bahasa Arab*. UIN Maliki Press.

Widiyarto, S. (2025). *Kajian Psikolinguistik: Pemerolehan Bahasa secara Mental dan Kognitif*. CV Eureka Media Aksara.

Zainurrakhmah, Z. (2024). Analisis Morfosemantik Neologisme Teknologi Informasi Arab di Al Jazeera (2024). *Titian: Jurnal Ilmu Humaniora*, *8*(2), 479–496.

Zena, I. S. (2023). *Analisis Proses Neologisme dalam Menfess Akun Autobase @convomf di Twitter: Kajian Morfosemantik*. Universitas Hasanuddin.

Zulfa, D. R. (2023). Pembelajaran bahasa Arab berbasis pendekatan psikolinguistik implikasi dan implementasinya. *Ihtimam: Jurnal Pendidikan Bahasa Arab*, *6*(1), 34–46.